

# Sumner\* Pipe Stands

## Standard Features on all Sumner Jacks:

- ✓ 1-1/2" (38 mm) Acme fine adjustment thread — the largest in the industry
- ✓ Large, convenient adjustment handle
- ✓ CE rated
- ✓ Quick-action lock washer
- ✓ Fall Guard™ Support
- ✓ Set screw can lock jack head to stand — no loose pieces
- ✓ Jack independently load tested for quality assurance
- ✓ Backed by over forty years of jack stand manufacturing experience



## Heavy Duty Jacks

### Special Features:

- ✓ 2,500 lb (1,135 kg) capacity
- ✓ Strut tension plate for superior lateral support
- ✓ 1" (2.5 cm) square tube base construction
- ✓ Built for heavy use & abuse



**Hi Heavy Duty Jack**  
28"-49" (71-125 cm)



**Lo Heavy Duty Jack**  
21"-36" (51-89 cm)

## Heavy Duty Jack Plus

- ✓ 3,500 lb (1,580 kg) capacity
- ✓ Rib-supported vee head prevents "pancaking"
- ✓ Strut tension plate for superior lateral support
- ✓ 1" (2.5 cm) square tube base construction



**Heavy Duty Jack Replacement Legs**  
for easy repair  
(Part # 780675-KD)



## "Pro Jack"\*

### Special Features:

- ✓ Formed steel legs
- ✓ 2,500 lb (1,135 kg) capacity
- ✓ Priced for all budgets
- ✓ Strut tension plate for superior lateral support



**Hi Pro Jack**  
28"-49" (71-125 cm)

## Fold-A-Jack\*

### Special Features:

- ✓ 2,500 lb (1,135 kg) capacity
- ✓ Folds up for storage ease
- ✓ 1" (2.5 cm) square tube base construction
- ✓ Convenient carrying handle








**Lo Fold-A-Jack**  
21"-36" (51-89 cm)



**Hi Fold-A-Jack**  
28"-49" (71-125 cm)

## Sumner Offers a Choice of 5 Head Styles for every Jack Application:

					
Model	Standard Vee Head	Ball Transfer Head	Steel Wheel Head	Rubber Wheel Head	Bar Stock Head
Part Number (carbon steel)	780518	780518 & 780551	780514	780499	780519 (Hi) 780944 (Lo)
Part Number (stainless steel)	780498	780518 & 780274	780517	N/A	N/A
Pro Jack, Heavy Duty Jack & Fold-A-Jack Capacity	2,500 lb 1,135 kg	1,000 lb 450 kg	2,500 lb 1,135 kg	1,000 lb 450 kg	2,000 lb 900 kg
Pipe Size (min - max)	1/8" - 24" 3-600 mm	3/8" - 12" 10-300 mm	1-1/4" - 24" 30-600 mm	1-1/2" - 24" 40-600 mm	1/8" - 10" (Flat) 3-250 mm

### Stainless Steel Vee Head Attachment Part # 780502

Fits over vee and secures with two bolts – no tools required!




### Standard Vee Head Ball Transfer Set

Part # 780551 (carbon steel)  
Part # 780274 (stainless steel)

Attachments slide over standard vee head. Accommodates 3/8" - 12" (10 - 300 mm) pipe sizes. 1,000 lb (450 kg) capacity.




### Hi Jack Height Range



Hi Jacks are used for perfect work height on shapes or pipe

### Lo Jack Height Range



Lo Jacks are used for larger shapes or pipe

## Hold-Down Device

Similar in operation to a chain vise for pipe, the **Hold-Down Device** uses high tensile strength chain to grip material in any Sumner vee head jack. Ideal for fitting up flanges, fittings or valves, and a must when working with short lengths.

**Holds Pipe or Shape up to 12" Diameter!**




Part #	Description	Weight	
		lbs	kg
781050	ST-448 Hold-Down Device	6.0	2.7
781056	15' Safety Brakes	4.0	1.8

# Jack Stand Specifications

		Weight	
Part #	Description	lbs	kg
HI HEAVY DUTY JACKS			
780375	ST-801 w/Vee Head	24.0	10.9
780376	ST-802 w/Roller Head	27.0	12.2
780377	ST-803 w/Bar Stock Head	24.0	10.9
780378	ST-804 w/Stainless Steel Rollers	28.0	12.7
780379	ST-805 w/Stainless Steel Vee Head	24.0	10.9
780380	ST-806 w/Ball Transfer Head	27.0	12.2
780381	ST-807 w/Rubber Wheels	26.0	11.8
HEAVY DUTY JACK PLUS (HI JACK)			
780326	w/Ribbed Vee Head	24.0	10.9
LO HEAVY DUTY JACK PLUS			
780385	ST-901 w/Vee Head	19.0	8.6
780386	ST-902 w/Roller Head	22.0	10.0
780387	ST-903 w/Bar Stock Head	18.0	8.2
780388	ST-904 w/Stainless Steel Rollers	22.0	10.0
780389	ST-905 w/Stainless Steel Vee Head	19.0	8.6
780390	ST-906 w/Ball Transfer Head	22.0	10.0
780391	ST-907 w/Rubber Wheels	21.0	9.5

**NOTE:** Jacks ordered with stainless steel vee heads are shipped with a standard vee head and stainless steel vee head attachment (PN 780502). See page 5 for details on stainless steel vee-head attachment.

		Weight	
Part #	Description	lbs	kg
HI FOLD-A-JACKS®			
781300	ST-881 w/Vee Head	25.0	11.3
781301	ST-882 w/Roller Head	28.0	12.7
781302	ST-883 w/Bar Stock Head	25.0	11.4
781303	ST-884 w/Stainless Steel Rollers	29.0	13.1
781304	ST-885 w/Stainless Steel Vee Head	24.0	10.9
781305	ST-886 w/Ball Transfer Head	29.0	13.1
781306	ST-887 w/Rubber Wheels	26.0	11.8
LO FOLD-A-JACKS®			
781310	ST-981 w/Vee Head	21.0	9.5
781311	ST-982 w/Roller Head	24.0	10.9
781313	ST-984 w/Stainless Steel Rollers	24.0	10.9
781314	ST-985 w/Stainless Steel Vee Head	22.0	10.0
781315	ST-986 w/Ball Transfer Head	25.0	11.3
781316	ST-987 w/Rubber Wheels	22.0	10.0
HI PRO JACKS®			
780471	ST-871 w/Vee Head	23.0	10.4
780472	ST-872 w/Roller Head	26.0	11.8
780473	ST-873 w/Bar Stock Head	23.0	10.4
780474	ST-874 w/Stainless Steel Rollers	26.0	11.8
780475	ST-875 w/Stainless Steel Vee Head	24.0	10.9
780476	ST-876 w/Ball Transfer Head	28.0	12.7
780477	ST-877 w/Rubber Wheels	25.0	11.4



**A Quick, Easy, Safe Clamp For Holding Pipe In Vee Head Jack Stands**

Patented.



Perfect for securing pipe layout work

Threads permit positive gripping of pipe to vee head

Rugged steel frame for years of use



Grips 3/4" - 6" pipe (20 - 152mm) or 1" - 6-1/2" tubing (25 - 165mm)

**NOW IN STAINLESS STEEL!**



Quick release button allows clamp arms to open and close in seconds.



Arms extend open in raised position

Part #	Description	Weight	
		lbs	kg
785000	Hold-E* Pipe Clamp (3/4" - 6" pipe)	8.7	3.9
784999	SS Hold-E* Pipe Clamp (3/4" - 6" pipe)	8.7	3.9

**CAUTION:** Hold-E device is a clamping device and should not be used for threading or lifting.